ThinkPad X1 Yoga (3rd Gen) 20LD002M++

Product

ThinkPad X1 Yoga (3rd Gen)

Region

EMEA

Machine Type

20LD

TopSeller

TopSeller

Processor

Core i7-8550U (4C, 1.8 / 4.0GHz, 8MB)

vPro No

Graphics

Integrated Intel UHD Graphics 620

Memory

16GB Soldered

Display

14" HDR WQHD (2560x1440) IPS

Multi-touch

10-point Multi-touch

Storage

512GB SSD M.2 PCIe NVMe Opal2

Optical None

WLAN + Bluetooth

Intel 8265 ac, 2x2 + BT4.1

WWAN

Fibocom L850-GL

SIM Card

None

Dock

None

Monitor Cable

None

Adapter

ThinkPad Ethernet Extension Cable

Color

Black

Camera

720p

Keyboard

Backlit

Pen

ThinkPad Pen Pro

Fingerprint Reader

Fingerprint Reader

NFC NFC

Battery 54Wh

Power Adapter

65W USB-C

Operating System

Windows 10 Pro 64

Warranty

3-year, Onsite

Global

No

End of Support

May 10, 2024

Ann Date (mm/yy)

04/18

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences. https://www.lenovo.com/hk/en/battery-info



WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



ThinkPad X1 Yoga (3rd Gen) Platform Specifications

Drassar	Oth Congretion Intol® CoveTM iF / i7 Dynasons	I	
Processor	8th Generation Intel® Core™ i5 / i7 Processor Processor # of # of Base Max Turbo Processor Processor # of # of Base Max Turbo Processor	Smart card reade Media reader	erNone MicroSD card reader, supports UHS-II
	Number Cores Threads Frequency Frequency Cache Memory Types Graphics	Ports	Two USB 3.1 Gen 1 (one Always On), two USB 3.1 Type-C Gen 2 / Thunderbolt
	i5-8250U 1.6 GHz 3.4 GHz 6MB		3, HDMI 1.4, Ethernet extension connector, nano-SIM card slot (WWAN models), headphone / microphone combo jack, microSD card reader
	i5-8350U		* Depending on many factors, actual data transfer speed may be lower than theoretical speed
	1.8 GHz 4.0 GHz 8MB Graphics 620	WiGig dock Monitor cable	None
Graphics	Intel UHD Graphics 620 in processor;	(optional)	HDMI to VGA: Lenovo HDMI to VGA Monitor Adapter USB-C to VGA: Lenovo USB-C to VGA Adapter USB-C to DP: Lenovo USB-C to DisplayPort Adapter
•	supports external digital monitor via HDMI or USB Type-C; supports three independent displays; Max resolution: 5120x2880@60Hz (USB Type-C); 4096x2160@30Hz (HDMI)		
		Camera (optional)	al) One of the following, configurable by model: 720p: HD720p camera with ThinkShutter camera privacy, fixed focus IR & 720p: IR camera and HD720p camera, fixed focus
Chinaat			
Chipset Memory	Intel SoC (System on Chip) platform 8GB or 16GB / 2133MHz LPDDR3 / soldered to systemboard, no sockets		* WWAN models and HDR panel models can not support IR camera
Display	Some: 14.0" (355mm) FHD (1920x1080), LED backlight, 270 nits.	Audio support	pport HD Audio, Realtek® ALC3286 codec, Dolby® Audio™ Premium / stereo speakers, 1W x 2 / dual array microphone, headphone / microphone combo jack
•	16:9 aspect ratio, 700:1 contrast ratio, 72% gamut, 170° viewing angle, IPS Some: 14.0" (355mm) WQHD (2560x1440), LED backlight, 270 nits,	Keyboard	6-row wave keyboard (rise & fall), spill-resistant, multimedia Fn keys, LED backlit
	16:9 aspect ratio, 700:1 contrast ratio, 72% gamut, 170° viewing angle, IPS	UltraNav™	TrackPoint® pointing device and 3+2 buttons multi-touch clickpad
	Some: 14.0" (355mm) HDR WQHD (2560x1440) with Dolby Vision™,	Security	Power-on password, hard disk password, supervisor password, security keyhole
	LED backlight, 500 nits, 16:9 aspect ratió, 1500:1 contrast ratio, 100% gamut, 170° viewing angle, IPS	Security chip vPro (optional)	Discrete TPM 2.0 TCG Certified Intel vPro Technology
Multi-touch	Capacitive-type multi-touch, AR (anti-reflection), AS (anti-smudge),	Fingerprint reader	r Touch style match on chip fingerprint reader on the palm rest
Hinge	supports 10-finger gesture, reduces overall display brightness by 10% Yoga hinge, 360 degree	NFČ (optional)	Near Field Communication
Convert-mode	Laptop, tent, stand, and tablet	Battery	Integrated Li-Ion 54Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W USB Type-C AC adapter
	ThinkPad Pen Pro, active pen for multi-touch display, on-board rechargeable	Max battery life	<i>MobileMark</i> ® <i>2014:</i> 15.4 hr
Storage	Some: M.2 SSD / SATA 6.0Gb/s (e.g. xxxG SSD) Some: M.2 SSD / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s (e.g. xxxG SSD PCIe NVMe)	AC adapter	* Battery life varies significantly with settings, usage, & other factors 45W or 65W USB Type-C AC adapter
Optical	None	Light sensor	Ambient Light Sensor
Ethernet	Native Intel Ethernet Connection WGI219-LM (vPro)	G-sensor	3D accelerometer and 3D magnetometer
	via optional ThinkPad Ethernet Extension Cable	Compass	None
WLAN	Intel Dual Band Wireless-AC 8265, Wi-Fi 2x2 802.11ac + Bluetooth 4.1, M.2 card * Intel 8265ac card supports BT4.2 but is limited to BT4.1 by Windows OS	Gyroscope Preload	3D gyrometer Windows 10 Pro 64
Bluetooth™	Bluetooth 4.1 wireless, integrated in Wi-Fi + Bluetooth combo adapter	Limited warranty	One of the following, configurable by model:
	Integrated Mobile Broadband 4G LTE-A,	_ Lilling wallality	1-year depot repair service
, , , ,	Intel XMM™ 7360 (Fibocom L850-GL), M.2 card		3-year/1-yr battery depot repair service
	Nano-SIM card slot, optional Verizon LTE (US) SIM card	Mil-Spec test	MIL-STD-810G military certification
Dimensions Weight	WxDxH: 13.11" x 9.02" x 0.67"; 333mm x 229mm x 17.05mm Starting at 3.08 lb (1.4kg)	Environment	EPEAT™ Gold; ENERGY STAR®; RoHS-compliant
Case color	Black or silver		
Case material	Display cover: Carbon-Fiber and Glass-Fiber hybrid; Bottom: magnesium-PPS hybrid		









